Clinical and Experimental Dermatology 1990; 15: 471–480.

Index

Subjects

Acne conglobata, 462
Acne vulgaris, 174
  in patients with infantile acne, 376
Actinic prurigo, 289
Acral keratosis, 361
Adhesion molecules
  distribution in epidermal tumours, 331
Adverse drug reactions
  bullous pemphigoid, 50
  atenolol-induced pseudolymphoma, 119
  isotretinoin and curly hair, 143
  reduced vitamin B_{12} levels during treatment for androgen-dependent alopecia, 277
  paracetamol-induced with positive IMF findings, 293
  methotrexate and trimethoprim–sulphamethoxazole, 358
  digitate keratoses—complication of etretinate, 370
  carbamazepine-induced lichenoid reaction, 382
  mimicking erythema multiforme, 387
Alopecia
  natural history, 34
  oral cyproterone-acetate and ethyl-oestradiol therapy, 277
Amino acids
  composition in trichorrhexis nodosa, 24
Ampicillin, 50
Anetoderma, 124
Angina bullosa haemorrhagica, 422
Angiolipomata, 63
Angiolymphoid hyperplasia, 65
Anti-inflammatory drugs, 195
Aspergillosis, 446
Atenolol, 119
Atopic dermatitis, 264
  rippled hyperpigmentation in, 380

Basal-cell epithelioma
  within rhinophymas, 282
  controlled study of fibroblast sensitivity to radiation, 352
Bioengineering
  variations in irritant patch test reactions, 29
  plastic occlusion stress test, 107
  study of skin barrier to evaporative water loss, 180
  assessment of disease severity using pulsed A-scan ultrasound, 200
  effects of oil and water baths on the hydration state of epidermis, 206
  colorimetric quantification of erythema, 267
  ranking of antipsoriatic effect of various topical corticosteroids, 343
Blood eosinophilia
  in atopic dermatitis, 264
Bullous disease of childhood, 367
Book Reviews
  Acne. By W.J.Cunliffe, 74
  Advances in Dermatology, Vol. 4. Edited by J.P.Callen *et al.*, 316
  The Biology of Wool and Hair. Edited by G.E.Rogers, P.J.Reis, K.A.Ward and R.C.Marshall, 73
  Clinical Dentistry in Health and Disease, Vol. 2. *The Mouth and Perioral Tissues*, 73
  Clinical Dermatology. By J.A.A.Hunter, J.A.Savin and M.V.Dahl, 468
  Clinical Dermatopathology. By A.Stevens, P.Wheater and J.Lowe, 400
  A Colour Atlas of Dermatoimmunohistocytology. By H.Ueki and H.Yaoita, 468
  A Colour Atlas of Nursing Procedures in Skin Disorders. By L.A.Stone, E.M.Lindfield and S.Robertson, 154
  Cutaneous Electrosurgery. By J.E.Sebben, 316
  The Healing Treatment of Skin Defects. By J.Moserova and E.Houskova, 154
  Herpes Simplex Virus. By A.Mindel, 468
  Mycobacterial Skin Diseases: New Clinical Applications: Dermatology. Edited by M.Harahap, 154
  Pharmacology and the Skin, Vol. 2. *Nonsteroidal Anti-inflammatory Drugs*. Edited by N.J.Lowe and C.N.Hensby, 74
  Pharmacology of the Skin. Edited by M.W.Greaves and S.Shuster, 73
  Recent Advances in Dermatology, No. 8. Edited by R.M.Champion, 469
  Skin Manifestations of AIDS. By N.S.Pennys, 400
  Trends in Human Hair Growth and Alopecia Research. Edited by D.Van Neste, J.M.Lachapelle and J.L.Antoine, 316

Candida albicans, 183
Carbamazepine
  induced lichenoid eruption, 382
Carcinoma
  cutaneous lymphangiectases after therapy for carcinoma of the cervix, 57
Childhood sexual abuse, 321
Cholesterol sulphate

Levels in hair and nails of patients with recessive X-linked ichthyosis, 13
Chromosomal abnormalities
dysplastic naevi, 44
Ciclopiroxolamine
pityriasis versicolor, 95
Cobalt, 384
Complement
activation in psoriasis, 16
Contact dermatitis
variations in irritant patch tests, 29
from metalworking fluids, 157
Crohn's disease, 131
Cryotherapy, 260
Cyclosporin, 121
for psoriasis, 172
Cyproterone acetate, 277

Dermatomyositis
clinical effects of cyclosporin, 121
Dermatophytosis, 210
Desensitization
cutaneous granulomata complicating desensitization, 37
Digitate keratoses, 370
Dysplastic naevi
in association with partial deletion of chromosome 11, 44

Eccrine tumours
sclerosing-sweat-duct carcinoma, 222
papillary eccrine adenoma, 425
Epidermal hydration, 107, 180
effects of oil and water baths, 206
Erythema elevatum diutinum, 394
Erythema induratum, 21
Erythema marginatum, 225
Erythema multiforme 356
multifocal fixed drug eruption mimicking erythema multiforme, 387
Erythroderma, 415

FACE, 163

Granuloma annulare
in a patient with temporal arteritis, 70
Granulomata, 37
associated with delayed hypersensitivity to cobalt, 384

Haemangioma, 429
Hair matting, 139
Hairy ears, 192
Hairy leukoplakia, 335
Histiocytoma cutis, 454
HIV infection,
hairy leukoplakia, 335
Mycobacterium kansasii infection, 457
Hyperpigmentation, 380

Ichthyosis
cholesterol-sulphate levels, 13
ichthyosis bullosa of Siemens, 53
essential-fatty-acid metabolites in, 174
Immunofluorescence
study of primary anetoderma, 124
positive findings with paracetamol-induced drug eruption, 293
Immunoglobulins, 433
Immunopathology
immunocytochemistry and cutaneous neoplasia, 235
study of lichen planus, 273
distribution of ILAM-1 and LFA-1 in epidermal tumours, 331
in bullous pemphigoid, 438
Implants
oestradiol–testosterone implant, 68
Introital adenosis, 356
Iododerma, 232
Isotretinoin
and curly hair, 143
Itraconazole, 101

Kaposi's sarcoma
histopathological aspects, 253

Langerhans cells
and mycosis fungoides, 7
histiocytosis, 79
Langerhans-cell histiocytosis, 79
Laser
venous lakes of the lips, 115
YAG laser skin ablation, 389
Laugier–Hunziker syndrome, 111
Leiomyomas, 296
Leprosy, 349
Lichen planus, 273
in children, 340
Lipoatrophy, 464
Lipoproteins, 372
Local anaesthetic, 177

Malakoplakia, 442
Melanoma
  seven-point checklist, 167
  malignant melanoma in Glamorgan, 406
Methotrexate, 358
Mycobacterial infections, 21
  giant nerve abscesses in leprosy, 349
  Mycobacterium kansasii infection, 457
Mycology
  short-course ciclopiroxolamine therapy in pityriasis versicolor, 95
  itraconazole in treatment of superficial mycoses, 101
  Candida albicans, 183
  double-blind study of terbinafine and griseofulvin, 210
  cutaneous aspergillosis, 446
Mycosis fungoides, 7
  UVB-induced bullous pemphigoid restricted to mycosis fungoides plaques, 363

Naevi
  In association with partial deletion of chromosome 11, 44
  speckled compound naevus, 137
  in a child with intra-uterine varicella infection, 149
  white sponge naevus, 152
  unilateral naevoid basal-cell carcinoma syndrome, 352
Nail dystrophy, 111
  hereditary digital onycholysis, 146
Neurofibromas, 217
Neurofibrosarcoma, 429
Neurological abnormalities
  complications of systemic sclerosis, 91
  giant nerve abscesses in leprosy, 349
Nocardiosis, 459

Palmoplantar pustulosis, 378
Papilloma viruses, 260
Papuloerythroderma, 105
Paracetamol
  drug eruption with positive IMF findings, 293
Patch test, 29
Pemphigoid
  an adverse effect of ampicillin, 50
Pemphigoid gestationis, 134
Pemphigus
  clinical and histological spectrum, 433
  immunosuppressive therapy, 442
Personal construct systems, 401
Photodermatoses
  actinic prurigo and solar urticaria, 289
Pityriasis versicolor, 95
Porokeratosis, 370
Porphyria cutanea tarda
  and scleroderma, 285
Pregnancy eruption, 134
  severe polymorphic eruption, 228
Pseudolymphoma
  Atenolol-induced, 119
Psittacosis
  presenting with erythema-marginatum-like lesions, 225
Psoriasis
  complement activation, 16
  natural selection of, 39
  precipitated by oestradial–testosterone implant, 69
  basement membrane changes, 83
  cyclosporin-A–etretinate therapy, 172
  essential-fatty-acid metabolites in plasma phospholipids, 174
  antipsoriatic effect of topical corticosteroids, 343
  personal construct systems, 401

Reticulohistiocytoma cutis, 1
Rheumatoid arthritis, 394
Rhinophyma, 282

Sarcoidosis
  in an infant, 60
Scleroderma
  neurological complications, 91
  porphyria cutanea tarda and, 285
  response to 1,25 dihydroxyvitamin D_3, 396
SCUR, 298
Seven-point checklist, 167
Shampoo
  hair matting, 139
Staphylococcus aureus, 415
Subungual exostoses, 451

Tannic acid, 415
Temporal arteritis, 70
Therapy
  multiple angiolipomata treated with lignocaine, 63
  itraconazole in treatment of superficial mycoses, 101
  effects of cyclosporin in dermatomyositis, 121
  white sponge naevus successfully treated with topical tetracycline, 152
cyclosporin-A–etretinate for psoriasis, 172
  double-blind study of terbinafine and griseofulvin, 210
  localized scloerderma—response to 1,25 dihydroxyvitamin D_3, 396
  immunosuppressive therapy for pemphigus vulgaris, 442
Thromboangitis obliterans, 46
Thrombocytopenia, 134

Tissue culture, 217, 410
Trichorrhexis nodosa
  amino-acid composition, 24

Ulcers, 200
  treatment with allogeneic cultured-keratinocytes–collagen dressing, 410
Ultrastructural studies
  basement membrane changes in psoriatic patients, 33
  papuloerythroderma, 105
  subungual exostoses, 451
Urticaria
  actinic prurigo and solar urticaria, 289
UVB
  induced bullous pemphigoid, 363
Varicella-zoster infections, 149
Vasculitis, 1
  Burger's disease, 46
  leucocytoclastic vasculitis, 232
Venous lakes
  of the lips, 115
Vulval disorders
  angiolymphoid hyperplasia, 65
  chronic erosive vulval disease, 245

Xanthogranulomatosis, 372

Authors

ABDULLAH, A.N. and KECZKES, K. Thromboangiitis obliterans (Bürger's disease) in a woman—a case report and review of the literature, 46
ADRIAANS, B., PULLON, H., DU VIVIER, A. and MIBASHAN, R. Pemphigoid gestationis and neonatal alloimmune thrombocytopenia, 134
AGACHE, P. *see* HUMBERT, P.G.
AGNER, E. *see* FOGH, H.
AGNER, T. and SERUP, J. Individual and instrumental variations in irritant patch-test reactions—clinical evaluation and quantification by bioengineering methods, 29
AGNER, T. *see* FOGH, H.
AGNER, T. *see* SERUP, J.
AGUILAR, A. *see* AMBROJO, P.
AGUILAR, A., AMBROJO, P., REQUENA, L., OLMOS, L. and SÁNCHEZ-YUS, E. Angiolymphoid hyperplasia with eosinophilia limited to the vulva, 65
ALBRECHT, H. *see* STELLBRINK, H.-J.
ALEGRE, V. *see* REQUENA, L.
ALIAGA, A. *see* REQUENA, L.
ALLEN, S.G. *see* HENG, M.C.Y.
ALLEN, F.J. *see* JORDAAN, H.F.
ALLEN, M.H. *see* BARKER, J.N.W.N.
ALLEN, S.G. *see* HENG, M.C.Y.
AMBROJO, P. *see* AGUILAR, A.
AMBROJO, P., COGOLLUDO, E.F., AGUILAR, A., SÁNCHEZ YUS, E. and SÁNCHEZ DE PAZ, F. Cutaneous lymphangiectases after therapy for carcinoma of the cervix—a case with clinical and histological particularities, 57
ANSTEY, A., VENNING, V., WOJNAROWSKA, F., BHOGAL, B. and BLACK, M.M. Determination of the optimum site for diagnostic biopsy for direct immunofluorescence in bullous pemphigoid, 438
ARAGÜES, M., SANCHEZ PEREZ, J., FRAGA, J., BURGOS, E., NOQUERADO, A. and GARCIA DIEZ, A. Hairy leucoplakia—a clinical, histopathological and ultrastructural study in 33 patients, 335
ARCHARD, L. *see* ASHWORTH, J.
ASHWORTH, J. *see* WILLIAMS, H.C.
ASHWORTH, J., ARCHARD, L., WOODROW, D. and CREAM, J.J. Multiple eruptive histiocytoma cutis in an atopic, 454
ATKIN, S.L., MCKENZIE, T.M.M. and STEVENSON, C.J. Carbamazepine-induced lichenoid eruption, 382
AUGUST, P.J. *see* O'DRISCOLL, J.B.
AVIRAM, M. *see* BERGMAN, R.

BALNCHER, D. *see* VAILLANT, L.
BANI, D., PIMPINELLI, N., MORETTI, S. and GIANNOTTI, B. Langerhans cells and mycosis fungoides—a critical overview of their pathogenic role in the disease, 7
BARAN, R. *see* BAZEX, J.
BARKER, J.N.W.N., ALLEN, M.H. and MACDONALD, D.M. Distribution of intercellular-adhesion molecule-1 (ICAM-1) and lymphocyte-function-associated antigen-1 (LFA-1) in epidermal tumours, 331
BAYOUMI, A.H.M. *see* BUCKLEY, C.
BAZEX, J., BARAN, R., MONBRUN, F., GRIGORIEFF-LARRUE, N. and MARGUERY, M.C. Hereditary distal onycholysis—a case report, 146
BECK, M.H. *see* O'DRISCOLL, J.B.
BELAICH, S. *see* SIGAL, M.
BEN-SHETRIT, A. *see* HODAK, E.
BERARDESCA, E. and MAIBACH, H.I. Monitoring the water-holding capacity in visually non-irritated skin by plastic occlusion stress test (POST), 107
BERGMAN, R., FRIEDMAN-BIRNBAUM, R., HAZAZ, B.,

COHEN, E., MUNICHOR, M. and LICHTIG, C. An immunofluorescence study of primary anetoderma, 124
BERGMAN, R., FRIEDMAN-BIRNBAUM, R., AVIRAM, M., KATZ, I., KERNER, H. and BROOK, J.G. Adult xanthogranulomatosis associated with abnormal plasma apolipoprotein levels, 372
BERTH-JONES, J., COATES, P.A.A., GRAHAM-BROWN, R.A.C. and BURNS, D.A. Neurological complications of systemic sclerosis—a report of three cases and review of the literature, 91
BERTH-JONES, J. and GRAHAM-BROWN, R.A.C. Childhood sexual abuse—a dermatological perspective, 321
BEYLOT, C. *see* CONY, M.
BÉZIAN, J.H. *see* CONY, M.
BHOGAL, B. *see* ANSTEY, A.
BILET, S. *see* SIGAL, M.
BINGHAM, A. *see* CHEW, ENG WOOI
BLACK, M.M. *see* ANSTEY, A.
BLICHMAN, C. *see* STENDER, I.M.
BÖHLER, K., METZE, D., POITSCHEK, C.H. and JURECKA, W. Cutaneous aspergillosis, 446
BONAFE, J.L., THIBAUT, I. and HOFF, J. Introital adenosis associated with the Stevens–Johnson syndrome, 356
BONOMO, L. *see* CASATO, M.
BRANFOOT, A.C. *see* COLLIER, P.M.
BREATHNACH, S.M. *see* WILLIAMS, H.C.
BROBY-JOHANSEN, U., KARLSMARK, T., PETERSEN, L.J. and SERUP, J. Ranking of the antipsoriatic effect of various topical corticosteroids applied under a hydrocolloid dressing—skin-thickness, blood-flow and colour measurements compared to clinical assessments, 343
BROOK, J.G. *see* BERGMAN, R.
BUCKLEY, C., BAYOUMI, A.H.M. and SARKANY, I. Metastatic Crohn's disease, 131
BULLER, T.A. *see* OLSEN, E.A.
BUNKER, C.B., ERSKINE, K., RUSTIN, M.H.A. and GILKES, J.J.H. Severe polymorphic eruption of pregnancy occurring in twin pregnancies, 228
BUNKER, C.B., MAURICE, P.D.L. and DOWD, P.M. Isotretinoin and curly hair, 143
BURGOS, E. *see* ARAGÜES, M.
BURNETT, J.W. *see* EL-MAGHRABI, E.A.
BURNS, D.A. *see* BERTH-JONES, J.
BURROWS, D. *see* CHEW, ENG WOOI
BURTON, J.L. *see* GRATTAN, C.

CACCAVO, D. *see* CASATO, M.
CARMICHAEL, A.J. and TAN C.Y. Speckled compound naevus, 137
CARMICHAEL, A.J. and TAN, CHIN Y. Digitate keratoses—a complication of etretinate used in the treatment of disseminated superficial actinic porokeratosis, 370
CARRINGTON, D. *see* GREEN, S.T.
CASATO, M., BONOMO, L., CACCAVO, D. and GIORGI, A. Clinical effects of cyclosporin in dermatomyositis, 121
CHEN, K. *see* MILLIGAN, A.
CHEW, ENG WOOI, BINGHAM, A. and BURROWS, D. Incidence of acne vulgaris in patients with infantile acne, 176
CHOW, J.W.M. and LUCAS, S.B. Endemic and atypical Kaposi's sarcoma in Africa—histopathological aspects, 253
CHU, A.C. *see* MCLELLAND, J.
COATES, P.A.A. *see* BERTH-JONES, J.
COGOLLUDO, E.F. *see* AMBROJO, P.
COHEN, E. *see* BERGMAN, R.
COLLIER, P.M., NEILL, S.M., BRANFOOT, A.C. and STAUGHTON, R.C.D. Erythema elevatum diutinum—a solitary lesion in a patient with rheumatoid arthritis, 394
CONY, M., DONATIEN, P.H., BEYLOT, C., GÉNIAUX, M., MALEVILLE, J., BÉZIAN, J.H. and TAÏEB, A. Treatment of leg ulcers with an allogeneic cultured-keratinocyte–collagen dressing, 410
COX, N.H. *see* SHARPE, G.R.
CREAM, J.J. *see* ASHWORTH, J.
CRICKX, B. *see* SIGAL, M.
CUNLIFFE, W.J. *see* HUGHES, B.R.
CURLEY, R.K., HAYWARD, T. and HOLDEN, C.A. Cutaneous abscesses due to systemic nocardiosis—a case report, 459
CZERNIELEWSKI, J. *see* DUTEIL, L.

DALY, B.M. *see* WHITE, M.I.
DARLEY, C.R. Acne conglobata of the buttocks aggravated by mechanical and environmental factors, 462
DAVID, M. *see* HODAK, E.
DAWBER, R.P.R. *see* WILSON, C.L.
DE GEER, D.B. *see* PREESMAN, A.H.
DE MURET, A. *see* VAILLANT, L.
DEL PALACIO HERNANZ, A. LÓPEZ GÓMEZ, S., GONZÁLEZ LASTRA, F., MORENO PALANCAR, P. and IGLESIAS DÍEZ, L. A comparative double-blind study of terbinafine (Lamisil) and griseofulvin in tinea corporis and tinea cruris, 210
DEL PALACIO-HERNANZ, A., GUARRO-ARTIGAS, J., FIGUERAS-SALVAT, M.J., ESTEBAN-MORENO, J. and LÓPEZ-GÓMEZ, S. Changes in fungal ultrastructure after short-course ciclopiroxolamine therapy in pityriasis versicolor, 95
DELONG, E.R. *see* OLSEN, E.A.
DICK, D.C. *see* KEEFE, M.
DIXON, D.M. *see* EL-MAGHRABI, E.A.
DONATIEN, P.H. *see* CONY, M.

DOOLEY, G. and FINLAY, A.Y. Personal construct systems of psoriatic patients, 401
DOWD, P.M. *see* BUNKER, C.B.
DU VIVIER, A. *see* ADRIAANS, B.
DUHRA, P. and PORTER, D.I. Paracetamol-induced fixed drug eruption with positive immunofluorescence findings, 293
DUTEIL, L., QUEILLE, C., PONCET, M., ORTONNE, J.P. and CZERNIELEWSKI, J. Objective assessment of topical corticosteroids and non-steroidal anti-inflammatory drugs in methyl-nicotinate-induced skin inflammation, 195

EDWARDS, S. & WOJNAROWSKA, F. Chronic bullous disease of childhood in three patients of Polynesian extraction, 367
EDWARDS, S., WILKINSON, J.D. and WOJNAROWSKA, F. Angina bullosa haemorrhagica—a report of three cases and review of the literature, 422
EL-MAGHRABI, E.A., DIXON, D.M. and BURNETT, J.W. Characterization of *Candida albicans* epidermolytic proteases and their role in yeast-cell adherence to keratinocytes, 183
ELLIS, J. *see* KEMMET, D.
ERSKINE, K. *see* BUNKER, C.B.
ESTEBAN-MORENO, J. *see* DEL PALACIO-HERNANZ, A.

FERGUSON, D.J.P. *see* WILSON, C.L.
FIGUERAS-SALVAT, M.J. *see* DEL PALACIO-HERNANZ, A.
FINLAY, A.Y. *see* DOOLEY, G.
FOGH, H., AGNER, T. and AGNER, E. Multiple angiolipomata treated with intraveneous infusions of lignocaine, 63
FOULDS, I.S. and KOH, D. Dermatitis from metalworking fluids, 157
FRAGA, J. *see* ARAGUES, M.
FREW, C.E. *see* GREEN, S.T.
FRIEDMAN-BIRNBAUM, R. *see* BERGMAN, R.
FUKAI, K., ISHII, M., KOBAYASHI, H., SOMEDA, Y., HAMADA, T. and TSUJINO, S. Generalized granuloma annulare in a patient with temporal arteritis—are these conditions associated?, 70
FURUKAWA, M. *see* KATO, H.

GARCIA DIEZ, A. *see* ARAGUES, M.
GAWKRODGER, D.J. *see* MCDONAGH, A.J.G.
GÉNIAUX, M. *see* CONY, M.
GIANNOTTI, B. *see* BANI, D.
GILKES, J.J.H. *see* BUNKER, C.B.
GIORGI, A. *see* CASATO, M.
GONZÁLEZ LASTRA, F. *see* DEL PALACIO HERNANZ, A.
GRAHAM-BROWN, R.A.C. *see* BERTH-JONES, J.
GRAHAM-BROWN, R.A.C. *see* MILLIGAN, A.
GRATTAN, C., BURTON, J.L., MANKU, M., STEWART, C. and HORROBIN, D.F. Essential-fatty-acid metabolites in plasma phospholipids in patients with ichthyosis vulgaris, acne vulgaris and psoriasis, 174
GREEN, S.T., HAMLET, N.W., WILLOCKS, L., SHERRY, K., KENNEDY, D.H., FREW, C.E. and CARRINGTON, D. Psittacosis presenting with erythema-marginatum-like lesions—a case report and a historical review, 225
GRETEN, H. *see* STELLBRINK, H.-J.
GRIGORIEFF-LARRUE, N. *see* BAZEX, J.
GROENENDAL, H. and RAMPEN, F.H.J. Methotrexate and trimethoprim–sulphamethoxazole—a potentially hazardous combination, 358
GUARRO-ARTIGAS, J. *see* DEL PALACIO-HERNANZ, A.

HAMADA, T. *see* FUKAI, K.
HAMADA, T. *see* KATO, H.
HAMLET, N.W. *see* GREEN, S.T.
HANDFIELD-JONES, S. *see* JONES, S.K.
HARRIS, D.W.S., SPENCER, M.J. and TIDMAN, M.J. Papuloerythroderma—clinical and ultrastructural features, 105
HAYASHI, S., KUBOTA, Y., SHIMADA, S. and HORI, Y. Characterization of cultured neurofibroma cells derived from von Recklinghausen's disease, 217
HAYWARD, T. *see* CURLEY, R.K.
HAZAZ, B. *see* BERGMAN, R.
HAZAZ, B. *see* HODAK, E.
HENDERSON, C.A. *see* SHAMY, H.K. Atenolol-induced pseudolymphoma, 119
HENG, H.L. *see* HENG, M.C.Y.
HENG, M.C.Y. HENG, H.L. and ALLEN, S.G. Basement membrane changes in psoriatic patients on long-term topical corticosteroid therapy, 83
HENG, M.C.Y., ALLEN, S.G. and KIM, A. Tannic-acid staining material on high endothelial venules and lymphocytes in skin and peripheral lymph nodes in *Staphylococcus aureus*-associated erythroderma, 415
HEYNS, C.F. *see* JORDAAN, H.F.
HIBST, R. *see* KAUFMANN, R.
HODAK, E., BEN-SHETRIT, A., INGBER, A. and SANDBANK, M. Bullous pemphigoid—an adverse effect of ampicillin, 50
HODAK, E., DAVID, M. and SANDBANK, M. Semicircular lipoatrophy—a pressure-induced lipoatrophy?, 464
HODAK, E., DAVID, M., INGBER, A., ROTEM, A., HAZAZ, B., SHAMAI-LUBOVITZ, O. and SANDBANK, M. The clinical and histopathological spectrum of IgA-pemphigus—report of two cases, 433
HOFF, J. *see* BONAFE, J.L.
HOLDEN, C.A. *see* CURLEY, R.K.
HORI, Y. *see* HAYASHI, S.
HORROBIN, D.F. *see* GRATTAN, C.
HUGHES, B.R. and CUNLIFFE, W.J. Rippled hyperpigmentation resembling macular amyloidosis—a feature of atopic eczema, 380

HUMBERT, P.G., JUPOND, J.L., ROCHEFORT, A., VASSELET, R., LUCAS, A., LAURENT, R. and AGACHE, P. Localized scleroderma—response to 1,25-dihydroxy vitamin D_3, 396
HUNTER, J.A.A. *see* KEMMET, D.
HUNTER, J.A.A. *see* WRIGHT, A.L.

IGLESIAS DÍEZ, L. *see* DEL PALACIO HERNANZ, A.
INGBER, A. *see* HODAK, E.
ISHII, M. *see* FUKAI, K.
ITO, M. *see* SERIZAWA, S.
IZUKURA, R. *see* UEHARA, M.

JACYK, W.K. and SMITH, A. Mosaic acral keratosis, 361
JAMES, K.C. *see* RUSHTON, D.H.
JONES, R.M. *see* ROSENBERG, E.W.
JONES, S.K., HANDFIELD-JONES, S. and KENNEDY, C.T.C. Does EMLA reduce the discomfort associated with local-anaesthetic infiltration?, 177
JORDAAN, H.F., HEYNS, C.F., ALLEN, F.J. and SCHNEIDER, J. Immunosuppressive therapy for pemphigus vulgaris complicated by malakoplakia of the bladder, 442
JUPOND, J.L. *see* HUMBERT, P.G.
JURECKA, W. *see* BÖHLER, K.

KAMALAM, A. and THAMBIAH, A.S. Genetics of hairy ears in South Indians, 192
KARLSMARK, T. *see* BROBY-JOHANSEN, U.
KATO, H., FURUKAWA, M. and HAMADA, T. Pigmented neurofibrosarcoma mimicking a large haemangioma, 451
KATO, H., NAKAGAWA, K., TSUJI, T. and HAMADA, T. Subungual exostoses—clinicopathological and ultrastructural studies of three cases, 429
KATZ, I. *see* BERGMAN, R.
KAUFMANN, R. and HIBST, R. Pulsed 2·94-μm erbium–YAG laser skin ablation—experimental results and first clinical application, 389
KECZKES, K. *see* ABDULLAH, A.N.
KEEFE, M., DICK, D.C. and WAKEEL, R.A. A study of the value of the seven-point checklist in distinguishing benign pigmented lesion from melanoma, 167
KEEFE, M. and DICK, D.C. Cryotherapy of hand warts—a questionnaire survey of 'consumers', 260
KEMMET, D., ELLIS, J., SPENCER, M.-J. and HUNTER, J.A.A. The Laugier–Hunziker syndrome—a clinical review of six cases, 111
KENNEDY, C.T.C. *see* JONES, S.K.
KENNEDY, D.H. *see* GREEN, S.T.
KERNER, H. *see* BERGMAN, R.
KIM, A. *see* HENG, M.C.Y.
KING, C.M. *see* PRYCE, D.W.
KING, C.M. *see* YU, R.C.H.
KINT, R'T. *see* ROSEEUW, D.
KNOBLER, R.M. *see* NEUMANN, R.A.
KOBAYASHI, H. *see* FUKAI, K.
KOH, D. *see* FOULDS, I.S.
KOLB, W.P. *see* ROSENBERG, E.W.
KOPERSKI, K. *see* STELLBRINK, H.-J.
KORSTANJE, M.J. and VAN DE STAAK, W.J.B.M. Combination-therapy cyclosporin–A–etretinate for psoriasis, 172
KUBOTA, Y. *see* HAYASHI, S.

LAURENT, R. *see* HUMBERT, P.G.
LEIGH, I.M. *see* MURDOCH, M.E.
LEIGH, I.M. *see* TATNALL, F.M.
LENDON, M. *see* O'DRISCOLL, J.B.
LICHTIG, C. *see* BERGMAN, R.
LÓPEZ GÓMEZ, S. *see* DEL PALACIO HERNANZ, A.
LORETTE, G. *see* VAILLANT, L.
LUCAS, A. *see* HUMBERT, P.G.
LUCAS, S.B. *see* CHOW, J.W.M.

MCDONAGH, A.J.G., GAWKRODGER, D.J. and WALKER, A.E. White sponge naevus successfully treated with topical tetracycline, 152
MCDONAGH, A.J.G., WRIGHT, A.L. and MESSENGER, A.G. Dysplastic naevi in association with partial deletion of chromosome 11, 44
MCFADDEN, J.P. Hypothesis—the natural selection of psoriasis, 39
MCKEE, P.H. Immunocytochemistry and cutaneous neoplasia ('Something will turn Up', Micawber, 1863), 235
MCKENZIE, T.M.M. *see* ATKIN, S.L.
MCLELLAND, J. and CHU, A.C. Multi-system Langerhans-cell histiocytosis in adults, 79
MCVITTIE, E. *see* WRIGHT, A.L.
MACDONALD, D.M. *see* BARKER, J.N.W.N.
MAIBACH, H.I. *see* BERARDESCA, E.
MAIBACH, H.I. *see* VAN DER VALK, P.G.M.
MALEVILLE, J. *see* CONY, M.
MANKU, M. *see* GRATTAN, C.
MARGUERY, M.C. *see* BAZEX, J.
MARKS, R. *see* MOURAD, M.M.
MARQUINA, A. *see* REQUENA, L.
MAURICE, P.D.L. *see* BUNKER, C.B.
MERTENS, R.L.J. *see* ROSEEUW, D.
MESSENGER, A.G. *see* MCDONAGH, A.J.G.
METZE, D. *see* BÖHLER, K.
MIBASHAN, R. *see* ADRIAANS, B.
MILLIGAN, A., CHEN, K. and GRAHAM-BROWN, R.A.C. Two tuberculides in one patient—a case report of papulonecrotic tuberculide and erythema induratum occurring together, 21
MILLIGAN, A. and GRAHAM-BROWN, R.A.C. Lichen planus in children—a review of six cases, 340
MISRA, R.S. *see* SAXENA, U.

MOFFAT, M.A.J. *see* WHITE, M.I.
MONBRUN, F. *see* BAZEX, J.
MORENO, PALANCAR, P. *see* DEL PALACIO HERNANZ, A.
MORETTI, S. *see* BANI, D.
MOURAD, M.M. and MARKS, R. Assessment of disease severity and outcome in the gravitational syndrome using pulsed A-scan ultrasound to measure skin thickness, 200
MOURIER-MASSICOT, CH. *see* SIGAL, M.
MUKHERJEE, A. *see* SAXENA, U.
MULLER, S.A. *see* OLIVER, G.F.
MUNICHOR, M. *see* BERGMAN, R.
MURDOCH, M.E. and LEIGH, I.M. Ichthyosis bullosa of Siemens and bullous ichthyosiform erythoderma—variants of the same disease?, 53

NAGAI, T. *see* SERIZAWA, S.
NAHUM, H.D. *see* SIGAL, M.
NAKAGAWA, K. *see* KATO, H.
NEILL, S.M. *see* COLLIER, P.M.
NEUMANN, R.A. and KNOBLER, R.M. Venous lakes (Bean–Walsh) of the lips—treatment experience with the argon laser and 18 months' follow-up, 115
NOAH, P.W. *see* ROSENBERG, E.W.
NOQUERADO, A. *see* ARAGUES, M.
NORRIS, M.J. *see* RUSHTON, D.H.

O'DRISCOLL, J.B. and AUGUST, P.J. Exacerbation of psoriasis precipitated by an oestradiol–testosterone implant, 68
O'DRISCOLL, J.B., BECK, M.H., LENDON, M., WRAITH, J. and SARDHARWALLA, I.B. Cutaneous presentation of sarcoidosis in an infant, 60
OLIVER, G.F., UMBERT, I., WINKELMANN, R.K. and MULLER, S.A. Reticulohistiocytoma cutis—review of 15 cases and an association with systemic vasculitis in two cases, 1
OLMOS, L. *see* AGUILAR, A.
OLSEN, E.A., BULLER, T.A., WEINER, S. and DELONG, E.R. Natural history of androgenetic alopecia, 34
ORTONNE J.P. *see* DUTEIL, L.

PEMBROKE, A.C. *see* WILLIAMS, H.C.
PEÑA, M. *see* REQUENA, L.
PENGLOAN, J. *see* VAILLANT, L.
PEREMANS, W. *see* ROSEEUW, D.
PETERSEN, L.J. *see* BROBY-JOHANSEN, U.
PIMPINELLI, N. *see* BANI, D.
POITSCHEK, C.H. *see* BÖHLER, K.
PONCET, M. *see* DUTEIL, L.
PORTER, D.I. *see* DUHRA, P.
PREESMAN, A.H., TOONSTRA, J., VAN DER PUTTE, S.C., DE GEER, D.B., VAN WEELDEN, H. and VAN VLOTEN, W.A. UV-B-induced bullous pemphigoid restricted to mycosis fungoides plaques, 363
PRYCE, D.W. and KING, C.M. Orofacial granulomatosis associated with delayed hypersensitivity to cobalt, 384
PULLON, H. *see* ADRIAANS, B.

QUEILLE, C. *see* DUTEIL, L.

RAMESH, V. *see* SAXENA, U.
RAMPEN, F.H.J. *see* GROENENDAL, H.
RAMSAY, I.D. and RUSHTON, D.H. Reduced vitamin B_{12} levels during oral cyproterone-acetate and ethyloestradiol therapy in women with diffuse androgen-dependent alopecia, 277
Rankin, R. *see* WHITE, M.I.
REQUENA, L. *see* AGUILAR, A.
REQUENA, L., MARGUINA, A., ALEGRE, V., ALIAGA, A. and SÁNCHEZ YUS, E. Sclerosing sweat-duct (microcystic adnexal) carcinoma—a tumour from a single eccrine organ, 222
REQUENA, L., PEÑA, M., SÁNCHEZ, M. and SÁNCHEZ YUS, E. Papillary eccrine adenoma—a light-microscopic and immunohistochemical study, 425
RIDLEY, C.M. Chronic erosive vulval disease, 245
ROBERTS, D.L. Malignant melanoma in West Glamorgan—increasing incidence and improving prognosis, 1986–88, 406
ROCHEFORT, A. *see* HUMBERT, P.G.
ROSEEUW, D., WILLEMSEN, M., KINT R'T., PEREMANS, W., MERTENS, R.L.J. and VAN CUTSEM, J. Itraconazole in the treatment of superficial mycoses—a double-blind study vs. placebo, 101
ROSENBERG, E.W., NOAH, P.W., WYATT, R.J., JONES, R.M. and KOLB, W.P. Complement activation in psoriasis, 16
ROTEM, A. *see* HODAK, E.
RUSHTON, D.H., NORRIS, M.J. and JAMES, K.C. Amino-acid composition in trichorrhexis nodosa, 24
RUSHTON, D.H. *see* RAMSAY, I.D.
RUSTIN, M.H.A. *see* BUNKER, C.B.

SÁNCHEZ-YUS, E. *see* AGUILAR, A.
SÁNCHEZ YUS, E. *see* AMBROJO, P.
SANCHEZ DE PAZ, F. *see* AMBROJO, P.
SANCHEZ PEREZ, J. *see* ARAGUES, M.
SÁNCHEZ YUS, E. *see* REQUENA, L.
SÁNCHEZ, M. *see* REQUENA, L.
SANDBANK, M. *see* HODAK, E.
SARDHARWALLA, I.B. *see* O'DRISCOLL, J.B.
SARKANY, I. *see* BUCKLEY, C.
SATO, Y. *see* SERIZAWA, S.
SAWAI, T. *see* UEHARA, M.
SAXENA, U., RAMESH, V., MISRA, R.S. and MUKHERJEE, A. Giant nerve abscesses in leprosy, 349
SCHNEIDER, J. *see* JORDAAN, H.F.
SERIZAWA, S., NAGAI, T., ITO, M. and SATO, Y. Choles-

terol sulphate levels in the hair and nails of patients with recessive X-linked ichthyosis, 13
SERUP, J. *see* AGNER, T.
SERUP, J. *see* STENDER, I.M.
SERUP, J. and AGNER, T. Colorimetric quantification of erythema—a comparison of two colorimeters (Lange Micro Color and Minolta Chroma Meter CR-200) with a clinical scoring scheme and laser-Doppler flowmetry, 267
SERUP, J. *see* BROBY-JOHANSEN, U.
SHAMAI-LUBOVITZ, O. *see* HODAK, E.
SHAMY, H.K. *see* HENDERSON, C.A.
SHARPE, G.R. and COX, N.H. Unilateral naevoid basal-cell-carcinoma syndrome—an individually controlled study of fibroblast sensitivity to radiation, 352
SHERRY, K. *see* GREEN, S.T.
SHIMADA, S. *see* HAYASHI, S.
SIGAL, M., NAHUM, H.D., CRICKX, B., BILET, S., MOURIER-MASSICOT, CH. and BELAICH, S. Porphyria cutanea tarda and scleroderma—chance association or related disease: a case report, 285
SILVIS, N.G. and ZACHARY, C.B. Occult basal-cell carcinoma within rhinophyma, 282
SMITH, A. *see* JACYK, W.K.
SMITH, A.G. *see* SOWDEN, J.M.
SOMEDA, Y. *see* FUKAI, K.
SOWDEN, J.M. and SMITH, A.G. Multifocal fixed drug eruption mimicking erythema multiforme, 387
SPENCER, M.J. *see* HARRIS, D.W.S.
SPENCER, M.J. *see* KEMMET, D.
STAUGHTON, R.C.D. *see* COLLIER, P.M.
STELLBRINK, H.-J., KOPERSKI, K., ALBRECHT, H. and GRETEN, H. *Mycobacterium kansasii* infection limited to skin and lymph node in a patient with AIDS, 457
STENDER, I.M., BLICHMAN, C. and SERUP, J. Effects of oil and water baths on the hydration state of the epidermis, 206
STEVENSON, C.J. *see* ATKIN, S.L.
STEWART, C. *see* GRATTAN, C.

TAÏEB, A. *see* CONY, M.
TAN, C.Y. *see* CARMICHAEL, A.J.
TATNALL, F.M. and LEIGH, I.M. Facial leiomyomas, 296
THAMBIAH, A.S. *see* KAMALAM, A.
THIBAUT, I. *see* BONAFE, J.L.
TIDMAN, M.J. *see* HARRIS, D.W.S.
TOONSTRA, J. *see* PREESMAN, A.H.
TSUJI, T. *see* KATO, H.
TSUJINO, S. *see* FUKAI, K.

UEHARA, M., IZUKURA, R. and SAWAI, T. Blood eosinophilia in atopic dermatitis, 264

VAILLANT, L., PENGLOAN, J., BALNCHER, D., DE MURET, A. and LORETTE, G. Iododerma and acute respiratory distress with leucocytoclastic vasculitis following the intravenous injection of contrast medium, 232
VAN CUTSEM, J. *see* ROSEEUW, D.
VAN DE STAAK, W.J.B.M. *see* KORSTANJE, M.J.
VAN DER PUTTE, S.C. *see* PREESMAN, A.H.
VAN DER VALK, P.G.M. and MAIBACH, H.I. A functional study of the skin barrier to evaporative water loss by means of repeated cellophane-tape stripping, 180
VAN VLOTEN, W.A. *see* PREESMAN, A.H.
VAN WEELDEN, H. *see* PREESMAN, A.H.
VASSELET, R. *see* HUMBERT, P.G.
VENNING, V. *see* ANSTEY, A.
VERBOV, J. Arthro-osteitis with palmoplantar pustulosis, 378
VICKERS, C.F.H. *see* YU, R.C.H.

WAKEEL, R.A. and WHITE, M.I. Cutaneous granulomata complicating desensitization, 37
WAKEEL, R.A. *see* KEEFE, M.
WALKER, A.E. *see* MCDONAGH, A.J.G.
WEINER, S. *see* OLSEN, E.A.
WHITE, M.I. *see* WAKEEL, R.A.
WHITE, M.I., DALY, B.M., MOFFAT, M.A.J. and RANKIN, R. Connective tissue naevi in a child with intrauterine varicella infection, 149
WILKINSON, J.D. *see* EDWARDS, S.
WILLEMSEN, M. *see* ROSEEUW, D.
WILLIAMS, H.C., ASHWORTH, J., PEMBROKE, A.C. and BREATHNACH, S.M. FACE—facial Afro-Caribbean childhood eruption, 163
WILLOCKS, L. *see* GREEN, S.T.
WILSON, C.L., FERGUSON, D.J.P. and DAWBER, R.P.R. Matting of scalp hair during shampooing—a new look, 139
WINKELMANN, R.K. *see* OLIVER, G.F.
WOJNAROWSKA, F. *see* ANSTEY, A.
WOJNAROWSKA, F. *see* EDWARDS, S.
WOODROW, D. *see* ASHWORTH, J.
WRAITH, J. *see* O'DRISCOLL, J.B.
WRIGHT, A.L. *see* MCDONAGH, A.J.G.
WRIGHT, A.L., MCVITTIE, E. and HUNTER, J.A.A. An immunophenotypic study of lichen planus, 273
WYATT, R.J. *see* ROSENBERG, E.W.

YU, R.C.H., KING, C.M. and VICKERS, C.F.H. A case of actinic prurigo and solar urticaria, 289

ZACHARY, C.B. *see* SILVIS, N.G.